## **IPitomy Products Sizing and Capacity**

Phone Picture	Model	Sip Accounts	Expansion Module	Feature Buttons	Screen Size	Headset	POE	Power Supply
	IP620 Adjustable Stand Wall Mount	8	Yes	8 Line/Feature Keys	480 X 272 HD Color	Yes RJ9 and 3.5mm Mic 3.5mm speaker	Yes 10/100	Uses 12v 1amp Part - PS345 Not-Included
	IP410 Adjustable Stand Wall Mount	4	Yes	4 Line Keys - 8 Feature keys	240 X 160 Graphic LCD	Yes RJ9 and 3.5mm Mic 3.5mm speaker	Yes 10/100	Uses 12v 1amp Part - PS345 Not-Included
	IP330 GIG Ethernet Adjustable Stand Wall Mount	3	Yes	3 Line Keys - 12 Feature keys	132 X 64 Graphic LCD	Yes RJ9 and 3.5mm Mic 3.5mm speaker	Yes 10/100 /1000	Uses 12v 1amp Part - PS345 Not-Included
	IP320 Adjustable Stand Wall Mount	2	No	2 Line Keys - 12 Feature keys	132 X 64 Graphic LCD	Yes RJ9 and 3.5mm Mic 3.5mm speaker	Yes 10/100	Uses 12v 1amp Part - PS345 Not-Included
	WI320 WIFI Phone Adjustable Stand Wall Mount	2	No	2 Line Keys - 12 Feature keys	132 X 64 Graphic LCD	Yes RJ9 and 3.5mm Mic 3.5mm speaker	WIFI Power Supply Included	Uses 12v 1amp Part - PS345 Included
	IP210	1	No	l Line	16 X 2	Yes RJ9	Yes 10/100	Uses 5v 1amp Part - PS200 Not-Included
	IPX32 Adjustable Stand	NA	NA	32	NA	NA	NA	NA

## **IPitomy Products Sizing and Capacity**

	Model	SIP Trunks	Analog Cards	T1 Card	Extension Capacity
TU TU	IP1100	Yes	No but can upgrade to IP1200	No, but can upgrade to an IP1200	Up to 50 can Upgraded to an IP1200
Pirany PPBX.	IP1200	Yes	Yes, 1 card only 4 or 8 port configuration	Yes, 1 card Can be single or Dual Port T1/PRI	100
4U	IP2000-B	Yes	Yes up to 2 32 port cards Cards are 4, 8, 16 and 32 port configurations	Yes, Up to 2 - 4 span T1/PRI cards Cards are single, dual and quad span	250
IPITOMY 4U	IP2000-E	Yes	Yes up to 2 32 port cards Cards are 4, 8, 16 and 32 port configurations	Yes, Up to 2 - 4 span T1/PRI cards Cards are single, dual and quad span	250
IPÎTOMY 4U	IP5000	Yes	Yes up to 2 32 port cards Cards are 4, 8, 16 and 32 port configurations	Yes, Up to 2 - 4 span T1/PRI cards Cards are single, dual and quad span	500

## **IPitomy Products Sizing and Capacity**

	I <b>⊃</b> i⊤amy	F ;			(PÎTOMY
	IP1100	IP1200	IP2000B	IP2000E	IP5000
Users	1 to 50	1 to 100	1 to 250	1 to 250	1 to 500
Mounting	Wall/Shelf	19" Rack	19" Rack	19" Rack	19" Rack
Software RAID	Option	Option	Option	NA	NA
Hardware RAID	NA	NA	NA	Included	Included
Conferencing	32 Users	32 Users	32 Users	32 Users	32 Users
Analog FXO Gateway	Yes	Yes	Yes	Yes	Yes
Analog FXS Gateway	Yes	Yes	Yes	Yes	Yes
FXO Card	NA	Yes	Yes	Yes	Yes
T1/PRI lines	NA	2 - Optional	8 - Optional	8 - Optional	8 - Optional
SIP Trunks	Included	Included	Included	Included	Included
Call Recording	Included	Included	Included	Included	Included
Auto Provisioning	Included	Included	Included	Included	Included
Desktop Call Manager	Optional	Optional	Optional	Optional	Optional
ACD	Optional	Optional	Optional	Optional	Optional
Call Queuing	Included	Included	Included	Included	Included
Remote Users	Included	Included	Included	Included	Included
Branch Office	Included	Included	Included	Included	Included
Redundant Power	NA	NA	Optional	Optional	Included
Hot Spare	Optional	Optional	Optional	Optional	Optional
Expansion Slots	0 - Upgrade	1	2	2	2 2